




B A T O
P L A S T

**PLASTIC PACKAGE / SHRINGWRAP / ECOMEMBRANE
GARBAGE BAGS / STRECH FILM / SAFETY FENCES / CAUTION TAPE**



www.batotrade.com

OUR PRODUCTS

LDPE PALLET COVER FILMS

Pallet ldpe cover films are being used to pack tiles and products, which help users to pack their items safely and securely for any transportation. Pallet ldpe cover films are open to every customers from variable industries. It also protects products against water, mud and dust. Our product is produced from prime (original) raw material how-ever it can also be produced from second quality of ldpe as per customer request.





**BATO
PLAST**



■ *Technical Specifications*

Raw Material: Prime or Secondary LDPE

Size: Can be produced any size, printed or unprinted.

Colour: Natural, blue black or any other preferable colour by customer



■ LDPE FILM (ECOMEMBRANE FOR USE BELOW CONCRETE FLOORS)

Not only LDPE film quality is the main factor which separates **Batoplast** from other companies, but also having variable product range is another substantial parameter. **Batoplast** is able to provide several different grades of LDPE Film, which every individual grade has its own specifications. Related to our customer needs, we always offer the best solutions by taking efficiency and economic factors into consideration.



■ Technical Specifications

Raw Material:

Original or secondary raw material depending on customer request.

Size:

From minimum 20 cm to maximum 400 cm
(800cm one side open)

Colour:

Natural, blue, black or any other preferable color by customer

■ Production Models





BATO
PLAST



■ **Batoplast LDPE film Grades**

1. Virgin
2. Semi Virgin (Off-Grade Virgin)
3. Special Transparent Grade of Batoplast
4. Transparent Grade of Batoplast
5. Mid Quality
6. Honey 1
7. Honey 2
8. Black 1
9. Black 2



B A T O
P L A S T

LDPE SHRINK ROLLS/LDPE ROLLS

It is the highest grade of Batoplast which is produced from original (prime) raw material of LDPE (low-density polyethylene). It can be produced any size and colour according to customer demand, moreover related to customer requests it can also be produced from secondary raw materials.

Generally preferable sizes are minimum 20 cm to maximum 400 cm (800 cm one side open).



Technical Specifications

Raw Material: Original (Prime) Ldpe (low-density polyethylene)

Size: From minimum 20 cm to maximum 400 cm (800cm one side open)

Colour: Natural or any other preferable colour by customer



■ STRETCH FILM FOR HAND OR MACHINE USAGE

Stretch film is a wrapping and packing product which consists of 5 layers and produced with cast film technic. Raw materials of the stretch, are LDPE and glues laminated on layers. Thanks to the raw material and glues wrap, it has the feature of flexible structure which the other packing materials don't have and it grabs tightly and holds your product together long time. The large part of our stretch production is transparent stretch.



■ Product Specifications


Stretch Wrap is produced in 2 types.

- *Stretch wrap for manually using (Hand stretch- for semi-automatic or manual using)*
- *Stretch wrap for machine (For automatic machines)*



SAFETY FENCES

Batoplast Safety Fences, is one of the unique grade of Batoplast which is produced from prime material of PE. It can be also produced at standart sizes and $80\text{gram}/\text{m}^2$ – $800\text{gram}/\text{m}^2$ according to customer request. Safety Fences are the perfect option for clearly defining pedestrian walkways, prevents obvious accident damages and also gives an additional safety condition for the employees in the construction.





BATO
PLAST

NO TEAR



■ BARRIER SAFETY FENCES

PE Barrier Safety Fence is the fence product which is produced from secondary raw material, It can be also produced as printed or unprinted and standart sizes, 80gram/ m² – 800gram/m² according to customer request.





BATO
PLAST

CAUTION TAPE

Caution Tape is used for many kind of areas such as occupational safety, underground locator, and caution sign etc. Besides being produced with standart parameters, Caution tapes can also be produced as special printed. As per customer requests it can be made from original or second quality raw material, and also any size/colour related to customer demand.



Standard Caution Tape Places Of Usage

Police & Gendarmerie Crime Scene Investigation Caution Tape.

Natural Gas Caution Tape

Plumbing Caution Tape

Laying Electric Cable Line Caution Tape

Telecommunications Caution Tape

Security Caution Tape

Communication Companies Caution Tape



■ BULK GARBAGE BAG

Batoplast provides variable plastic garbage bag grades according to customer demands. The bags can be produced as perforated or bulk and can be from virgin or secondary raw material as per buyer request any size/colour.

■ Bulk Garbage Bag Pictures





PRINTED BAG

Printed Bag is produced from LDPE and hdpe raw material. The standard sizes of the bags are minimum 200mm to 600 mm, with 6 different colours. It can also be produced as flexo printed or unprinted.



DIAGONAL PRINTED BAG

*Diagonal printed bag is a special grade of **Batoplast** which is being produced from a high quality PE raw material. With its special printing technology, **Batoplast** is able to provide variable grades for customers as per their needs.*



MEMBER ORGANIZATIONS & QUALITY CERTIFICATES

Quality Certificates



Member Organizations






BATO
PLAST



RELIABLE PRODUCTS and FAST SERVICE

 /batotrade

www.batotrade.com